

THE AUTHENTIC T-SHIRT COMPANY®  
Pro Team Youth Tee - Y350



**Product Features:**

- 6-oz, 100% polyester jersey knit
- Easy care fabric
- Moisture wicking
- Tagless label
- Cationic dye process resistant to color bleeding

Youth sizes **S (6-8), M (10-12), L (14-16), XL (18-20)**

Corresponding styles:

- Pro Team Tee - S350
- Pro Team Ladies' Tee - L350
- Pro Team Long Sleeve Tee - S350LS
- Pro Team Long Sleeve Youth Tee - Y350LS
- Pro Team Youth Short - Y355
- Pro Team Short - S355

**Fabric Detail:**



Black Black 6C	Carolina Blue 7454C	Coal Grey NEW! Between CoolGrey 10C & CoolGrey 11C	Deep Orange 1665C	Extreme Orange NEW! 804U (Neon Series)	Extreme Pink NEW! 806U (Neon Series)	Extreme Yellow NEW! Between 802U & 803U (Neon Series)	Forest Green 7736C	Gold 1235C	Kelly Green 341C
Light Pink 699C	Lime Shock 375C	Maroon 7643C	Purple A Little Darker Than 7672C	True Navy 539C	True Red 200C	True Royal Between 7686C & 7687C	White N/A	Wild Raspberry A Little Deeper Than Rubine Red C	

# Y350 - The Authentic T-Shirt Company® Youth Pro Team Tee

## GARMENT MEASUREMENTS

Finished Measurements in Inches

Size	S	M	L	XL
Chest	16	17	18	19 1/2
HPS Length	21 1/2	23	25	27

\* **Chest** is measured 1" down from the armhole (1/2 measurement). **CB length** is measured from the center of the back neck seam to the hem.

## YOUTH SIZING CHART

	S	M	L	XL
Numeric Size	6-8	10-12	14-16	18-20
Chest	26-28	28-30	30-32	32-35



## PRINTING INSTRUCTIONS FOR POLYESTER WICKING FABRICS

Due to the nature of 100% polyester performance fabrics, special care must be taken throughout the printing process. Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- **Screen Printing:** These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- **Heat Transfers:** Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- **Sublimation Printing:** As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.